


FAG NJ2310-E-TVP2 + HJ2310-E参数

尺寸	d	50	mm	-
	D	110	mm	-
	B	40	mm	-
	B ₁	8	mm	-
	B ₂	14.5	mm	-
	D ₁	92.5	mm	-
	D _{a max}	99	mm	-
	d ₁	71.3	mm	-
	d _{a max}	63	mm	-
	d _{a min}	61	mm	-
	r _{a max}	2	mm	-
	r _{al max}	2	mm	-
	r _{min}	2	mm	-
	s	4.2	mm	距离中心位置的轴向偏移
	说明	HJ2310-E		型号, L 型圈
重量	m	1770	g	质量
	m ₁	156	g	质量, L 型圈
基本额定载荷	C _r	193000	N	基本额定动载荷, 径向
	C _{0r}	187000	N	基本额定静载荷, 径向
极限转速	n _G	7800	r/min	极限转速
参考转速	n _B	5000	r/min	参考速度
疲劳极限载荷	C _{ur}	34500	N	疲劳极限载荷, 径向
尺寸	d _{c min}	73	mm	-
	E	97	mm	-
	F	65	mm	-
	r _{1 min}	2	mm	-

FAG NJ2310-E-TVP2 + HJ2310-E图片



参考资料:<http://www.sozhou.com/p/104068a6.html>

