



FAG NJ311-E-TVP2 + HJ311-E参数

尺寸	d	55	mm	-	
	D	120	mm	-	
	B	29	mm	-	
	B <sub>1</sub>	9	mm	-	
	B <sub>2</sub>	14	mm	-	
	D <sub>1</sub>	101.4	mm	-	
	D <sub>a max</sub>	109	mm	-	
	d <sub>1</sub>	77.5	mm	-	
	d <sub>a max</sub>	69	mm	-	
	d <sub>a min</sub>	66	mm	-	
	d <sub>c min</sub>	80	mm	-	
	E	106.5	mm	-	
	F	70.5	mm	-	
	r <sub>1 min</sub>	2	mm	-	
	r <sub>a max</sub>	2	mm	-	
	r <sub>al max</sub>	2	mm	-	
	r <sub>min</sub>	2	mm	-	
	s	1.8	mm	距离中心位置的轴向偏移	
	说明		HJ311-E		型号, L 型圈
	重量	m	1510	g	质量
m <sub>1</sub>		192	g	质量, L 型圈	
基本额定载荷	C <sub>r</sub>	159000	N	基本额定动载荷, 径向	
	C <sub>0r</sub>	139000	N	基本额定静载荷, 径向	
极限转速	n <sub>G</sub>	7000	r/min	极限转速	
参考转速	n <sub>B</sub>	5600	r/min	参考速度	
疲劳极限载荷	C <sub>ur</sub>	25000	N	疲劳极限载荷, 径向	

FAG NJ311-E-TVP2 + HJ311-E图片



参考资料:<http://www.sozhou.com/p/1ae86f87.html>

