

FAG SNV085-F-L + 20209 + FSV209参数

| | | | | |
|----|----------------|------------|----|----------|
| 尺寸 | g | 87 | mm | - |
| | b | 60 | mm | - |
| | c | 25 | mm | - |
| | D | 85 | mm | - |
| | d ₂ | 55 | mm | - |
| | g ₃ | 12.5 | mm | - |
| | h | 60 | mm | - |
| | m | 170 | mm | - |
| | s | M12 | | - |
| | s | 12.7 | mm | - |
| | u | 15 | mm | - |
| 说明 | | FSV209 | | 型号, 毛毡密封 |
| | | DKV085 | | 型号, 端盖 |
| | | SNV085-F-L | | 型号, 轴承座 |
| 尺寸 | v | 20 | mm | - |
| 重量 | m ₁ | 2800 | g | 质量, 轴承座 |
| 说明 | | 20209 | | 型号, 轴承 |
| | | KM9 | | 型号, 锁紧螺母 |
| | | MB9 | | 型号, 爪式垫圈 |
| | | FRM85/6 | | 型号, 定位圈 |
| 尺寸 | d | 45 | mm | - |
| | a | 205 | mm | - |
| | h ₁ | 114 | mm | - |

FAG SNV085-F-L + 20209 + FSV209图片





