



FAG NJ409-M1 + HJ409参数

尺寸	E	100.5	mm	-
	F	64.5	mm	-
	$r_{1 \text{ min}}$	2	mm	-
	$r_{a \text{ max}}$	2	mm	-
	$r_{a1 \text{ max}}$	2	mm	-
	r_{min}	2	mm	-
	s	2.9	mm	距离中心位置的轴向偏移
说明		HJ409		型号, L 型圈
重量	m	1900	g	质量
	m_1	181	g	质量, L 型圈
基本额定载荷	C_r	143000	N	基本额定动载荷, 径向
	C_{0r}	119000	N	基本额定静载荷, 径向
极限转速	n_G	9600	r/min	极限转速
参考转速	n_B	5900	r/min	参考速度
疲劳极限载荷	C_{ur}	21400	N	疲劳极限载荷, 径向
尺寸	d	45	mm	-
	D	120	mm	-
	B	29	mm	-
	B_1	8	mm	-
	B_2	13.5	mm	-
	D_1	94.6	mm	-
	$D_{a \text{ max}}$	107	mm	-
	d_1	71.6	mm	-
	$d_{a \text{ max}}$	63	mm	-
	$d_{a \text{ min}}$	58	mm	-
	$d_{c \text{ min}}$	74	mm	-

FAG NJ409-M1 + HJ409图片



参考资料:<http://www.sozhou.com/p/39406860.html>

