


FAG NJ2308-E-TVP2 + HJ2308-E参数

尺寸	$D_{a\ max}$	81	mm	-
说明		HJ2308-E		型号, L 型圈
重量	m	978	g	质量
	$m_1$	91	g	质量, L 型圈
基本额定载荷	$C_r$	132000	N	基本额定动载荷, 径向
	$C_{0r}$	119000	N	基本额定静载荷, 径向
极限转速	$n_G$	9500	r/min	极限转速
参考转速	$n_B$	6000	r/min	参考速度
疲劳极限载荷	$C_{ur}$	21600	N	疲劳极限载荷, 径向
尺寸	d	40	mm	-
	D	90	mm	-
	B	33	mm	-
	$B_1$	7	mm	-
	$B_2$	12.5	mm	-
	$D_1$	75.9	mm	-
	$d_1$	57.6	mm	-
	$d_{a\ max}$	51	mm	-
	s	2.7	mm	距离中心位置的轴向偏移
	$d_{a\ min}$	49	mm	-
	$d_{c\ min}$	60	mm	-
	E	80	mm	-
	F	52	mm	-
	$r_{1\ min}$	1.5	mm	-
	$r_{a\ max}$	1.5	mm	-
	$r_{al\ max}$	1.5	mm	-
	$r_{min}$	1.5	mm	-

FAG NJ2308-E-TVP2 + HJ2308-E图片



参考资料:<http://www.sozhou.com/p/5b7a4398.html>

