



FAG NJ232-E-M1 + HJ232-E参数

尺寸	d	160	mm	-
	D	290	mm	-
	B	48	mm	-
	B ₁	12	mm	-
	B ₂	20	mm	-
	D ₁	249.6	mm	-
	D _{a max}	276	mm	-
	r _{min}	3	mm	-
	s	4.1	mm	距离中心位置的轴向偏移
说明		HJ232-E		型号, L 型圈
重量	m	14900	g	质量
	m ₁	1470	g	质量, L 型圈
基本额定载荷	C _r	590000	N	基本额定动载荷, 径向
	C _{0r}	670000	N	基本额定静载荷, 径向
极限转速	n _G	3650	r/min	极限转速
参考转速	n _B	2190	r/min	参考速度
疲劳极限载荷	C _{ur}	101000	N	疲劳极限载荷, 径向
尺寸	d ₁	206.8	mm	-
	d _{a max}	192	mm	-
	d _{a min}	174	mm	-
	d _{c min}	210	mm	-
	E	259	mm	-
	F	195	mm	-
	r _{l min}	3	mm	-
	r _{a max}	2.5	mm	-
	r _{al max}	2.5	mm	-

FAG NJ232-E-M1 + HJ232-E图片



参考资料:<http://www.sozhou.com/p/7b0c42e9.html>

