



FAG NJ203-E-TVP2 + HJ203-E参数

尺寸	d	17	mm	-	
	D	40	mm	-	
	B	12	mm	-	
	B ₁	3	mm	-	
	B ₂	5.5	mm	-	
	D ₁	32.5	mm	-	
	D _{a max}	36	mm	-	
	d ₁	24.7	mm	-	
	d _{a max}	21.5	mm	-	
	d _{a min}	21	mm	-	
	d _{c min}	28	mm	-	
	E	35.1	mm	-	
	F	22.1	mm	-	
	r _{1 min}	0.3	mm	-	
	r _{a max}	0.6	mm	-	
	r _{al max}	0.6	mm	-	
	r _{min}	0.6	mm	-	
	s	1.2	mm	距离中心位置的轴向偏移	
	说明		HJ203-E		型号, L 型圈
	重量	m	70	g	质量
m ₁		8	g	质量, L 型圈	
基本额定载荷	C _r	20800	N	基本额定动载荷, 径向	
	C _{0r}	14600	N	基本额定静载荷, 径向	
极限转速	n _G	22900	r/min	极限转速	
参考转速	n _B	15400	r/min	参考速度	
疲劳极限载荷	C _{ur}	2180	N	疲劳极限载荷, 径向	

FAG NJ203-E-TVP2 + HJ203-E图片



参考资料:<http://www.sozhou.com/p/82c634f1.html>

