

FAG SNV280-F-L + 20326 + FSV326参数

|    |       |             |    |          |
|----|-------|-------------|----|----------|
| 尺寸 | d     | 130         | mm | -        |
|    | a     | 550         | mm | -        |
|    | $h_1$ | 344         | mm | -        |
|    | g     | 205         | mm | -        |
|    | b     | 160         | mm | -        |
|    | c     | 60          | mm | -        |
|    | $d_2$ | 150         | mm | -        |
|    | $g_3$ | 18          | mm | -        |
|    | h     | 170         | mm | -        |
|    | m     | 470         | mm | -        |
|    | s     | M30         |    | -        |
|    | s     | 31.75       | mm | -        |
|    | u     | 35          | mm | -        |
|    | v     | 42          | mm | -        |
| 重量 | $m_1$ | 55000       | g  | 质量, 轴承座  |
| 说明 |       | 20326       |    | 型号, 轴承   |
|    |       | KM26        |    | 型号, 锁紧螺母 |
|    |       | MB26        |    | 型号, 爪式垫圈 |
|    |       | FRM280/22.5 |    | 型号, 定位圈  |
|    |       | FSV326      |    | 型号, 毛毡密封 |
|    |       | DKV230      |    | 型号, 端盖   |
|    |       | SNV280-F-L  |    | 型号, 轴承座  |
| 尺寸 | D     | 280         | mm | -        |

FAG SNV280-F-L + 20326 + FSV326图片





