


FAG NJ324-E-TVP2 + HJ324-E参数

尺寸	d	120	mm	-	
	D	260	mm	-	
	B	55	mm	-	
	B ₁	14	mm	-	
	B ₂	22.5	mm	-	
	D ₁	218.7	mm	-	
	D _{a max}	246	mm	-	
	d ₁	168.1	mm	-	
	d _{a max}	151	mm	-	
	d _{a min}	134	mm	-	
	d _{c min}	171	mm	-	
	E	230	mm	-	
	F	154	mm	-	
	r _{1 min}	3	mm	-	
	r _{a max}	2.5	mm	-	
	r _{al max}	2.5	mm	-	
	r _{min}	3	mm	-	
	s	3.5	mm	距离中心位置的轴向偏移	
	说明		HJ324-E		型号, L 型圈
	重量	m	13500	g	质量
m ₁		1410	g	质量, L 型圈	
基本额定载荷	C _r	610000	N	基本额定动载荷, 径向	
	C _{0r}	600000	N	基本额定静载荷, 径向	
极限转速	n _G	3050	r/min	极限转速	
参考转速	n _B	2700	r/min	参考速度	
疲劳极限载荷	C _{ur}	96000	N	疲劳极限载荷, 径向	

FAG NJ324-E-TVP2 + HJ324-E图片



参考资料:<http://www.sozhou.com/p/929546f0.html>

