

## NTN NUP2205E参数

|        |       |          |       |      |
|--------|-------|----------|-------|------|
| 主要尺寸   | SD    | 25       | mm    | -    |
|        | D     | 52       | mm    | 外径   |
|        | B     | 18       | mm    | 宽度   |
|        | R     | 1.0      | mm    | (最小) |
|        | R1    | 0.6      | mm    | (最小) |
| 型号     | ORDER | NUP2205E |       | 型号   |
| 基本额定载荷 | CR    | 35000    | N     | 动载荷  |
|        | COR   | 34500    | N     | 静载荷  |
|        | CRF   | 3 550    | kgf   | 动载荷  |
|        | CORF  | 3 550    | kgf   | 静载荷  |
| 极限转速   | LSG   | 11 000   | r/min | 脂润滑  |
|        | LSO   | 13 000   | r/min | 油润滑  |
| 尺寸     | FW    | 31.5     | mm    | -    |
|        | EW    | 0.0      | mm    | -    |
|        | J     | 34.5     | mm    | -    |
| 重量     | MASS  | 190      | g     | 重量   |
| 安装尺寸   | DA1   | 29       | mm    | (最小) |
|        | DB1   | 0        | mm    | (最小) |
|        | DC    | 31       | mm    | (最大) |
|        | DD    | 34       | mm    | (最小) |
|        | DE    | 37       | mm    | (最小) |
|        | DA    | 47       | mm    | (最大) |
|        | DB2   | 0        | mm    | (最大) |
|        | DB3   | 0        | mm    | (最小) |
|        | RAS   | 1        | mm    | (最大) |
|        | R1AS  | 0.6      | mm    | (最大) |

## NTN NUP2205E图片



参考资料:<http://www.sozhou.com/p/aa2b0802.html>

