

## NTN 4T-430309DX参数

|        |       |             |       |      |
|--------|-------|-------------|-------|------|
| 主要尺寸   | SD    | 45          | mm    | -    |
|        | D     | 100         | mm    | 外径   |
|        | B1    | 60          | mm    | 宽度   |
|        | C     | 41.5        | mm    | 宽度   |
|        | R     | 2.0         | mm    | (最小) |
|        | R1    | 0.6         | mm    | (最小) |
| 型号     | ORDER | 4T-430309DX |       | -    |
| 基本额定载荷 | CR    | 165000      | N     | 动载荷  |
|        | COR   | 218000      | N     | 静载荷  |
|        | CRF   | 16800       | kgf   | 动载荷  |
|        | CORF  | 22200       | kgf   | 静载荷  |
| 极限转速   | LSG   | 2800        | r/min | 脂润滑  |
|        | LSO   | 3800        | r/min | 油润滑  |
| 作用点    | A     | 70.0        | mm    | -    |
| 重量     | MASS  | 2110        | g     | 重量   |
| 安装尺寸   | DA    | 55          | mm    | (最小) |
|        | DB    | 96          |       | -    |
|        | SB    | 9           | mm    | (最小) |
|        | RAS   | 2           | mm    | (最大) |
| 常数     | E     | 0.83        |       | -    |
| 轴向载荷系数 | Y1    | 0.82        |       | -    |
|        | Y2    | 1.22        |       | -    |
|        | Y0    | 0.8         |       | -    |

## NTN 4T-430309DX图片



参考资料:<http://www.sozhou.com/p/be08f24e.html>

