



FAG NJ218-E-TVP2 + HJ218-E参数

尺寸	d	90	mm	-	
	D	160	mm	-	
	B	30	mm	-	
	B ₁	9	mm	-	
	B ₂	14	mm	-	
	D ₁	139.7	mm	-	
	D _{a max}	149	mm	-	
	d ₁	114.3	mm	-	
	d _{a max}	105	mm	-	
	d _{a min}	101	mm	-	
	d _{c min}	116	mm	-	
	E	145	mm	-	
	F	107	mm	-	
	r _{1 min}	2	mm	-	
	r _{a max}	2	mm	-	
	r _{al max}	2	mm	-	
	r _{min}	2	mm	-	
	s	1.5	mm	距离中心位置的轴向偏移	
	说明		HJ218-E		型号, L 型圈
	重量	m	2410	g	质量
m ₁		317	g	质量, L 型圈	
基本额定载荷	C _r	215000	N	基本额定动载荷, 径向	
	C _{0r}	217000	N	基本额定静载荷, 径向	
极限转速	n _G	5200	r/min	极限转速	
参考转速	n _B	3950	r/min	参考速度	
疲劳极限载荷	C _{ur}	37000	N	疲劳极限载荷, 径向	

FAG NJ218-E-TVP2 + HJ218-E图片



参考资料:<http://www.sozhou.com/p/bee5dce.html>

