



FAG NJ309-E-TVP2 + HJ309-E参数

重量	m	913	g	质量
	m ₁	109	g	质量, L 型圈
基本额定载荷	C _r	116000	N	基本额定动载荷, 径向
	C _{0r}	99000	N	基本额定静载荷, 径向
极限转速	n _G	8500	r/min	极限转速
参考转速	n _B	6600	r/min	参考速度
尺寸	d	45	mm	-
	D	100	mm	-
	B	25	mm	-
	B ₁	7	mm	-
	B ₂	11.5	mm	-
	r _{1 min}	1.5	mm	-
	r _{a max}	1.5	mm	-
	r _{al max}	1.5	mm	-
	r _{min}	1.5	mm	-
	s	1	mm	距离中心位置的轴向偏移
说明		HJ309-E		型号, L 型圈
疲劳极限载荷	C _{ur}	17200	N	疲劳极限载荷, 径向
尺寸	D ₁	84.1	mm	-
	D _{a max}	91	mm	-
	d ₁	64.4	mm	-
	d _{a max}	57	mm	-
	d _{a min}	54	mm	-
	d _{c min}	66	mm	-
	E	88.5	mm	-
F	58.5	mm	-	

FAG NJ309-E-TVP2 + HJ309-E图片



参考资料:<http://www.sozhou.com/p/cc405c5d.html>

