


FAG NJ2311-E-TVP2 + HJ2311-E参数

尺寸	d	55	mm	-	
	D	120	mm	-	
	B	43	mm	-	
	B ₁	9	mm	-	
	B ₂	15.5	mm	-	
	D ₁	101.4	mm	-	
	D _{a max}	109	mm	-	
	d ₁	77.5	mm	-	
	d _{a max}	69	mm	-	
	d _{a min}	66	mm	-	
	d _{c min}	80	mm	-	
	E	106.5	mm	-	
	F	70.5	mm	-	
	r _{1 min}	2	mm	-	
	r _{a max}	2	mm	-	
	r _{al max}	2	mm	-	
	r _{min}	2	mm	-	
	s	3.3	mm	距离中心位置的轴向偏移	
	说明		HJ2311-E		型号, L 型圈
	重量	m	2270	g	质量
m ₁		200	g	质量, L 型圈	
基本额定载荷	C _r	235000	N	基本额定动载荷, 径向	
	C _{0r}	230000	N	基本额定静载荷, 径向	
极限转速	n _G	7000	r/min	极限转速	
参考转速	n _B	4550	r/min	参考速度	
疲劳极限载荷	C _{ur}	43500	N	疲劳极限载荷, 径向	

FAG NJ2311-E-TVP2 + HJ2311-E图片



参考资料:<http://www.sozhou.com/p/cdb04d7a.html>

